


Lidocan™

Lidocaine Patch 5 %

NDC: 59088-905-54



DERMACINRx

Description:

Lidocan™ is an anesthetic patch that contains Lidocaine 5%. It is mainly used for relief of neuropathic (nerve) pain, especially in areas where it is particularly sensitive to touch. **Lidocan™** patches are licensed for the treatment of Post Herpetic Neuralgia but have also been found to be useful for other types of neuropathic pain. The **Lidocan™** patch effectively reduces the intensity of all common pain qualities in patients with moderate-to-severe chronic pain. We believe that addition of the Lidocan patch 5% to the analgesic regimen in chronic low back pain may be beneficial.

Unit Detail:

30 patches per box

Dosage:

Apply the prescribed number of patches (maximum of 3), only once for up to 12 hours within a 24-hour period.

See reverse for complete prescribing info

Lidocan™ Lidocaine patch 5%

CONTRAINDICATIONS:

Lidocan™ Patch is contraindicated in patients with a known history of sensitivity to local anesthetics of the amide type, or to any other component of the product.

DOSAGE AND ADMINISTRATION:

Apply **Lidocan™** Patch to intact skin to cover the most painful area. Apply the prescribed number of patches (maximum of 3), only once for up to 12 hours within a 24-hour period. Patches may be cut into smaller sizes with scissors prior to removal of the release liner. Clothing may be worn over the area of application. Smaller areas of treatment are recommended in a debilitated patient, or a patient with impaired elimination. If irritation or a burning sensation occurs during application, remove the patch(es) and do not reapply until the irritation subsides.

When **Lidocan™** Patch is used concomitantly with other products containing local anesthetic agents, the amount absorbed from all formulations must be considered. **Lidocan™** Patch may not stick if it gets wet. Avoid contact with water, such as bathing, swimming or showering.

HANDLING AND DISPOSAL:

Hands should be washed after the handling of **Lidocan™** Patch, and eye contact should be avoided. Do not store patch outside the sealed envelope. Apply immediately after removal from the protective envelope. Fold used patches so that the adhesive side sticks to itself and safely discard used patches or pieces of cut patches where children and pets cannot get to them. Lidocaine 5% Patch should be kept out of the reach of children.

KEEP THIS AND ALL MEDICATIONS OUT OF REACH OF CHILDREN.

WARNING: For external use only. Not for ophthalmic use.

For use on the order of a healthcare practitioner.

Call your doctor about side effects. To report side effects, call **PureTek Corporation** at **1-877-921-7873** or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Store at 25°C (77°F); excursions permitted to 15° to 30°C (59° to 86°F)
[see USP Controlled Room Temperature].

Do not use if box seal is broken.

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

To report a serious adverse event or to obtain product information, contact **877-921-7873**.

If condition persists longer or there is no improvement, seek the advice of your physician or other licensed practitioner

Manufactured by:
PureTek Corporation
Panorama City, CA 91402
For questions or information
call toll-free: **877-921-7873**